

DAS

termék leírás

ACTION SERIES

MODEL

ACTION SERIES PASSIVE	nettó HUF	
ACTION-508	178 500	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black
ACTION-512	240 500	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black
ACTION-M512	288 500	Passive, 300 W, 12", 2 way full range, stage monitor, 80x50 rotatable horn, black
ACTION-515	295 000	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black
ACTION-525	414 000	Passive, 700 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black
ACTION-S18	383 000	Passive, 600 W, 18", bass-reflex subwoofer, black
ACTION-S218	542 000	Passive, 1200 W, 2x 18", bass-reflex subwoofer, black

ACTION SERIES ACTIVE

ACTION-508A	362 000	Powered, 360 W, 8", 2 way full-range, 90x60 rotatable horn, black
ACTION-512A	429 500	Powered, 500 W, 12", 2 way full-range, 90x60 rotatable horn, black
ACTION-M512A	458 000	Powered, 500 W, 12", 2 way full range, stage monitor, 80x50 rotatable horn, black
ACTION-515A	469 500	Powered, 500 W, 15", 2 way full-range, 90x60 rotatable horn, black
ACTION-525A	579 500	Powered, 1000 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black
ACTION-S18A	627 500	Powered, 600 W, 18", bass-reflex subwoofer, black
ACTION-S118A-230	917 000	Powered, 1600 W, 18", horn-bass subwoofer, 230 V, black
ACTION-S218A-230	923 500	Powered, 1250 W, 2x 18", bass-reflex subwoofer, 230 V, black

ACCESSORIES

ANL-1	13 500	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXC-AT	16 000	C-clamp for using mounts with lighting truss
AXU-ACT8	32 500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-8/ACTION-8A, black
AXU-ACT512	52 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-512/ACTION-512A, black
FUN-ACT8	27 500	Protective transport cover for 1 u. ACTION-8/ACTION-8A, black
FUN-VT12	38 500	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black
FUN-VT15	44 500	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black
FUN-ACTM12	35 000	Protective transport cover for 1 u. ACTION-M12/ACTION-M12A, black
FUN-VT215	60 000	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black
FUN-VT18	54 000	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black
FUN-ACT118	74 000	Protective transport cover for 1u. ACTION-118A, black
FUN-ACT218	60 500	Protective transport cover for 1u. ACTION-218/ACTION-218A, black
FUN-TRD2	24 000	Protective transport cover for TRD-2, black
SPK4-1	12 500	1m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-10	26 500	10m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-20	42 000	20m speaker cable, 4x(2.5mm2), 2x NL4
TRD-2	56 000	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	52 500	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	89 500	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black

ALTEA SERIES

MODEL

ALTEA SERIES PASSIVE

ALTEA-408	166 500	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn , black
ALTEA-408-T	215 000	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, 70 V/100 V line transformer, black
ALTEA-408-WR	255 500	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, weatherized, black
ALTEA-408-WR-T100	309 500	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, 70 V/100 V line transformer, weatherized, black
ALTEA-412	202 000	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn , black
ALTEA-412-WR	314 500	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, weatherized, black
ALTEA-415	213 500	Passive, 350 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black
ALTEA-712	256 000	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black
ALTEA-712-WR	374 000	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, weatherized, black
ALTEA-712-WR-T100	420 500	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, 70 V/100 V line transformer, weatherized, black
ALTEA-715	277 000	Passive, 500 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black
ALTEA-718	390 500	Passive, 600 W, 18", long excursion bass-reflex subwoofer, black

ALTEA SERIES ACTIVE

ALTEA-408A	285 000	Powered, 400 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, LCD control interface, 115 V/230 V, black
ALTEA-412A	303 500	Powered, 400 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V, black
ALTEA-415A	330 000	Powered, 400 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, 115 V, black
ALTEA-712A	472 500	Powered, 700 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black
ALTEA-715A	513 000	Powered, 700 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black
ALTEA-718A	639 500	Powered, 600 W, 18", long excursion bass-reflex subwoofer, black
ALTEA-DUO-10A	542 000	Powered, 500 W, 3 way full-range portable column system, polypropylene enclosure, 90x50 horn, LCD control interface, 115 V/230 V, black
ALTEA-DUO-10A-W	542 000	Powered, 500 W, 3 way full-range portable column system, polypropylene enclosure, 90x50 horn, LCD control interface, 115 V/230 V, white
ALTEA-DUO-20A	808 500	Powered, 1000 W, 3 way full-range portable column system, polypropylene/wood enclosure, 90x50 horn, LCD control interface, 115 V/230 V, black
ALTEA-DUO-20A-W	808 500	Powered, 1000 W, 3 way full-range portable column system, polypropylene/wood enclosure, 90x50 horn, LCD control interface, 115 V/230 V, white
ALTEA-S15A	549 000	Powered, 600 W, 15", bass-reflex subwoofer, black

ACCESSORIES

ANL-1	13 500	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying
FUN-AL712	16 000	Protective transport cover for 1 u. ALTEA-712/ALTEA-712A/ALTEA-412/ALTEA-412A, black
FUN-AL715	18 000	Protective transport cover for 1 u. ALTEA-715/ALTEA-715A/ALTEA-415/ALTEA-415A, black
FUN-VT18	54 000	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black
SPK4-1	12 500	1m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-10	26 500	10m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-20	42 000	20m speaker cable, 4x(2.5mm2), 2x NL4
TRD-2	56 000	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	52 500	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	89 500	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black
AX-112-5	47 500	Wall mount bracket for 12" VANTEC/ALTEA/ACTION-500/WR, WLL=25kgf, black
PL-ALTEA-DUO-10A	50 000	Wooden transport dolly for ALTEA-DUO-10A, black
PL-ALTEA-DUO-20A	51 500	Wooden transport dolly for ALTEA-DUO-20A, black
AXF-X12	232 000	Fast adjustable ceiling/truss mount bracket for 12" VANTEC/ALTEA/ACTION-500, black
FUN-AL408	15 000	Protective transport cover for 1 u. ALTEA-408/ALTEA-408A/ALTEA-408-T, black
AXW-ALT	14 500	Wall mount bracket and safety cable for various models, WLL=12kgf
AXW-ALT-WR	26 500	Wall mount bracket and safety cable for various models, WLL=12kgf

ARCO SERIES		
MODEL	nettó HUF	
ARCO-4-T	60 000	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black
ARCO-4-TW	60 000	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white
ARCO-24-T	83 500	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, black
ARCO-24-TW	83 500	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer, white
ARCO-12SUB	212 000	Passive, 2x170 W, Dual Voice Coil 12" mountable subwoofer, MDF enclosure, black
ACCESSORIES		
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXA-AC	12 000	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-T/ARCO-24-T, black
AXA-AC-W	12 000	Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-TW/ARCO-24-TW, white
AXU-AC4	17 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-T, black
AXU-AC4-W	17 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-TW, white
AXU-AC24	18 500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-T, black
AXU-AC24-W	18 500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-TW, white
KIT-IP-ARCO	6 000	IP54 kit for Arco-4T/24T, black
KIT-IP-ARCO-W	6 000	IP54 kit for Arco-4TW/24TW, white
ARTEC 300 SERIES		
MODEL		
ARTEC-306	215 000	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, black
ARTEC-306-W	215 000	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, white
ARTEC-306-T	239 000	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black
ARTEC-306-TW	239 000	Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white
ARTEC-326	282 500	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, black
ARTEC-326-W	282 500	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, white
ARTEC-326-T	306 500	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black
ARTEC-326-TW	306 500	Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white
ARTEC-308	239 000	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black
ARTEC-308-W	239 000	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, white
ARTEC-308-T	261 500	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black
ARTEC-308-TW	261 500	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white
ARTEC-310.64	312 500	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, black
ARTEC-310.64-W	312 500	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, white
ARTEC-310.64-T	333 500	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, black
ARTEC-310.64-TW	333 500	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V line transformer, white
ARTEC-310.96	312 500	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, black
ARTEC-310.96-W	312 500	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, white
ARTEC-310.96-T	333 500	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, black
ARTEC-310.96-TW	333 500	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V line transformer, white
ARTEC-312.64	361 500	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, black
ARTEC-312.64-W	361 500	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, white
ARTEC-312.96	361 500	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black
ARTEC-312.96-W	361 500	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, white
ARTEC-315.64	426 000	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, black
ARTEC-315.64-W	426 000	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, white
ARTEC-315.96	426 000	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black
ARTEC-315.96-W	426 000	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, white
ARTEC-320	764 000	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, black
ARTEC-320-W	764 000	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, white
ARTEC-322S	498 000	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black
ARTEC-322S-W	498 000	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, white
ACCESSORIES		
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-AR3	72 500	Rigging bumper for ARTEC-320/ARTEC-322S, black
AX-AR3-W	72 500	Rigging bumper for ARTEC-320-W/ARTEC-322S-W, white
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXC-AT	16 000	C-clamp for using mounts with lighting truss
AXF-AR508	50 500	Fast adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black
AXF-AR508-W	50 500	Fast adjustable ceiling/truss mount bracket for ARTEC-308-W/ARTEC-508-W/ARTEC-508A-W, white
AXF-AR510	56 500	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black
AXF-AR510-W	56 500	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96-W/ARTEC-310.64-W/ARTEC-510-W/ARTEC-510A-W/SF-10, white
AXR-AR5	63 000	Adjustable flying mount for ARTEC-500/ARTEC-300, black
AXR-AR5-W	57 500	Adjustable flying mount for ARTEC-500/ARTEC-300, white
AXU-AR312	42 500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96/ARTEC-312.64, black
AXU-AR312-W	42 500	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96-W/ARTEC-312.64-W, white
AXU-AR315	44 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96/ARTEC-315.64, black
AXU-AR315-W	44 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96-W/ARTEC-315.64-W, white
AXW-3	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, black
AXW-3-W	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, white
JP-320	28 500	Joining plate for array assembling ARTEC-320/ARTEC-322S (Included with ARTEC-320), black
JP-320-W	28 500	Joining plate for array assembling ARTEC-320-W/ARTEC-322S-W (Included with ARTEC-320-W), white
UFB	184 500	Universal Fly Bar, black, 16.5 kg (36.3 lb)

ARTEC 500 SERIES

MODEL

ARTEC 500 SERIES PASSIVE	nettó HUF	
ARTEC-506	280 000	Passive, 200 W, 6", 2 way full-range, 80x80 horn, black
ARTEC-526	396 000	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, black
ARTEC-508	280 000	Passive, 300 W, 8", 2 way full-range, 80x80 horn, black
ARTEC-510	401 500	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, black
ARTEC-S15	485 000	Passive, 800 W, 15", band-pass subwoofer, black
ARTEC-506-W	280 000	Passive, 200 W, 6", 2 way full-range, 80x80 horn, white
ARTEC-526-W	396 000	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, white
ARTEC-508-W	280 000	Passive, 300 W, 8", 2 way full-range, 80x80 horn, white
ARTEC-510-W	401 500	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, white
ARTEC-506-T	311 000	Passive, 200 W, 6", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, black
ARTEC-526-T	430 000	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, black
ARTEC-508-T	311 000	Passive, 300 W, 8", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, black
ARTEC-510-T	434 000	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, 70 V/100 V line transformer, black
ARTEC-506-TW	311 000	Passive, 200 W, 6", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, white
ARTEC-526-TW	430 000	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, white
ARTEC-508-TW	311 000	Passive, 300 W, 8", 2 way full-range, 80x80 horn, 70 V/100 V line transformer, white
ARTEC-510-TW	434 000	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, 70 V/100 V line transformer, white
ARTEC-S15-W	485 000	Passive, 800 W, 15", band-pass subwoofer, white

ARTEC 500 SERIES ACTIVE

ARTEC-506A-230	561 000	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230 V, black
ARTEC-526A-230	660 500	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, black
ARTEC-508A-230	561 000	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, black
ARTEC-510A-230	709 500	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230 V, black
ARTEC-S15A-230	1 065 500	Powered, 1000 W, 15", band-pass subwoofer, 230 V, black
ARTEC-506A-W-230	561 000	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230 V, white
ARTEC-526A-W-230	660 500	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, white
ARTEC-508A-W-230	561 000	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, white
ARTEC-510A-W-230	709 500	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230 V, white
ARTEC-S15A-W-230	485 000	Powered, 1000 W, 15", band-pass subwoofer, 230 V, white

ACCESSORIES

ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AX-SPG2	36 000	28 mm TV clamp spigot adapter with groove and pin for AXR-AR5 mount
AXC-ZT	35 000	Speaker adaptor (required for TRD-2/TRD-6), black
AXF-AR508	50 500	Fast adjustable ceiling/truss mount bracket for ARTEC-308/ARTEC-508/ARTEC-508A, black
AXF-AR510	56 500	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black
AXR-AR5	63 000	Adjustable flying mount for ARTEC-500/ARTEC-300, black
AXU-AR506	34 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-506/ARTEC-506A, black
AXU-AR526	36 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black
AXU-AR508	36 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-508/ARTEC-508A, black
AXU-AR510	39 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black
AXW-1	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, black
AXW-3	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, black
AXW-3-W	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, white
FUN-TRD2	24 000	Protective transport cover for TRD-2, black
TRD-2	56 000	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	52 500	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	89 500	Ring lock expandable (1005-1485 mm) pole mount for use between satellite and sub systems, black

DECO SERIES		
MODEL	nettó HUF	
DECO-5	27 000	20 W, 5.25" dual cone passive full-range ceiling speaker, 8 ohm, white
DECO-5-T	31 500	6 W, 5.25" dual cone passive full-range ceiling speaker, 70 V/100 V line transformer, white
DECO-6	33 000	40 W, 6.5" two-way passive full-range ceiling speaker, 8 ohm, white
DECO-6-T	38 000	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white
DECO-8	42 000	60 W, 8" two-way passive full-range ceiling speaker, 8 ohm, white
DECO-8-T	47 500	30 W, 8" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, white
DECO-6-TB	67 500	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V line transformer, w/ Backcan, white
DECO-40-T	198 000	2 x Ceiling Speaker, 2-way 4" Coaxial, 70 Hz – 20 kHz, 8 ohm & 70V/100V, auto-locking tabs, front selector, frameless grille.
DECO-40-LP	208 000	2 x Ceiling Speaker, 2-way 4" Coaxial, 70 Hz – 20 kHz, 8 ohm & 70V/100V, low profile 99 mm depth, auto-locking tabs, front selector, frameless grille.
DECO-65-T	243 000	2 x Ceiling Speaker, 2-way 6.5" Coaxial, 70 Hz – 20 kHz, 8 ohm & 70V/100V, auto-locking tabs, front selector, frameless grille.
DECO-80-T	395 000	2 x Ceiling Speaker, 2-way 8" Coaxial, 70 Hz – 20 kHz, 8 ohm & 70V/100V, auto-locking tabs, front selector, frameless grille.
DECO-80-TS	346 500	2 x Ceiling Subwoofer, 8" High-Performance, 50 Hz – 190 Hz, 8 ohm & 100V, auto-locking tabs, front selector, frameless grille.

ACCESSORIES		
MODEL		
GR-DC5	3 500	5" Black Grille
GR-DC6	4 500	6" Black Grille
GR-DC8	6 000	8" Black Grille - Used also with DECO-6TB
GR-DC40	8 000	2 x 4" Black Grille for DECO-40-T and DECO-40-T-LP
GR-DC65	11 500	2 x 6" Black Grille for DECO-65-T
GR-DC80	17 000	2 x 8" Black Grille for DECO-80-T and DECO-80-TS
PK-40T	34 500	Accessory for converting DECO-40-T into a pendant system, black
PK-65T	39 500	Accessory for converting DECO-65-T into a pendant system, black
PK-80T	46 000	Accessory for converting DECO-80-T and DECO-80-TS into a pendant system, black
PK-40TW	32 000	Accessory for converting DECO-40-T into a pendant system, white
PK-65TW	36 000	Accessory for converting DECO-65-T into a pendant system, white
PK-80TW	40 500	Accessory for converting DECO-80-T and DECO-80-TS into a pendant system, white
SP-PRE-DECO-40T	12 500	Pre-construction bracket for DECO-40-T and DECO-40-T-LP, ensures precise placement and support for ceiling installation.
SP-PRE-DECO-65T	13 500	Pre-construction bracket for DECO-65-T, ensures precise placement and support for ceiling installation.
SP-PRE-DECO-80T	14 500	Pre-construction bracket for DECO-80-T and DECO-80-TS, ensures precise placement and support for ceiling installation.

OVI SERIES		
MODEL		
OVI-12	238 000	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, black
OVI-12-IP54	265 000	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, black
OVI-12-T	272 000	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, 70 V/100 V line transformer, black
OVI-12-W	238 000	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, white
OVI-12-W-IP54	265 000	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, white

ACCESSORIES		
MODEL		
AXW-1	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, black
AXC-OVI12-60	43 500	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12, black
AXC-OVI12-60W	43 500	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12-W, black
AXC-OVI12-120	70 500	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12, black
AXC-OVI12-120W	70 500	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12-W, black
AXC-OVI12-2FT	43 500	Ceiling tile panel adapter (US - 2x2 ft) for OVI-12, black
AXC-OVI12-4FT	70 500	Ceiling tile panel adapter (US - 2x4 ft) for OVI-12, black
AXW-OVI12	84 500	Wall mount bracket for OVI-12, black
AXW-OVI12-W	84 500	Wall mount bracket for OVI-12-W, white

E11EVEN SOUND		
MODEL	nettó HUF	
ES-26	519 500	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn.
ES-10	530 000	Passive, 1600W, 10", 2 way full-range, point source, 110x50 horn
ES-112	3 373 000	Passive, 2000W, 3 way Point source, 90x50 horn
ES-212.64-CX	1 981 500	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black
ES-212.95-CX	1 981 500	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, CX, black
ES-158	1 575 500	Passive, 2800W, 3-way full range, point source system, 40x30
ES-212	645 500	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black
ES-215	1 429 500	Passive, 1400 W, 2x15", band-pass subwoofer bass-mid.
ES-218	2 937 000	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black
ES-221	3 694 500	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer.
ACCESSORIES		
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-SF1	26 000	Kit to join Sound Force cabinets (Metal Angle), black
AX-SF2	19 000	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black
AX-SF3	62 500	Joining plate kit to fly Sound Force models, (Metal Plate), 10mm, black
AX-SF112VA	141 500	Kit to stack 1 u. of SF-112 on top of 2 u. of SF-215 (Metal Base+Right & Left Angles), black
AX-SF2158	45 000	Joining plate for SF-158, black
AX-SF2215	35 000	Kit to stack 2 u. SF-215 on top of subwoofers (Metal Base), black
AXB-SF30	131 500	Stacking platform for fixing SF-30A to the ground, black
AXF-AR510	56 500	Fast adjustable ceiling/truss mount bracket for ARTEC-310.96/ARTEC-310.64/ARTEC-510/ARTEC-510A/SF-10, black
AXR-AR5	63 000	Adjustable flying mount for ARTEC-500/ARTEC-300, black
AXR-AR5-W	57 500	Adjustable flying mount for ARTEC-500/ARTEC-300, white
AXU-AR526	36 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black
AXU-AR510	39 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black
AXW-1	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, black
AXW-3	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, black
AXW-3-W	57 000	Wall mount bracket and safety cable for various models, WLL=16kgf, white
LOUDSPEAKERS CABLES		
SC-05	13 500	0.5m XLR microphone signal balanced cable
SC-1	14 000	1m XLR microphone signal balanced cable
SC-2	15 000	2m XLR microphone signal balanced cable
SC-5	17 000	5m XLR microphone signal balanced cable
SC-10	23 500	10m XLR microphone signal balanced cable
SPK4-1	12 500	1m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-10	26 500	10m speaker cable, 4x(2.5mm2), 2x NL4
SPK4-20	42 000	20m speaker cable, 4x(2.5mm2), 2x NL4
SPK8-1	35 000	1m speaker cable, 8x(2.5mm2), 2x NL8
SPK8-20	158 500	20m speaker cable, 8x(2.5mm2), 2x NL8
SPK8-25	187 500	25m speaker cable, 8x(2.5mm2), 2x NL8

EN54-24 SERIES		
MODEL		
WR-8826-CX	386 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black
WR-8826-DX	523 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black
WR-8826-DXG	523 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, grey
WR-8826-TCXW	420 000	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, CX, IP56, 70 V/100 V line transformer, white
WR-8826-TDXW	568 000	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, DX, IP56, 70 V/100 V line transformer, white
WR-6412-CX	702 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black
WR-6412-DX	799 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black
WR-6412-DXG	799 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, grey
WR-6415-CX	747 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black
WR-6415-DX	895 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black
WR-6415-DXG	895 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, grey
ACCESSORIES		
AX-AE12S2	417 000	Rigging bumper for AERO-12/AERO-12A (max 18 u.), black
AXU-VA4	25 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-4T, black
AXU-VA24	25 000	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-24T, black
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXU-WR8826	58 000	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black
AXU-WR8826-G	58 000	"U" bracket, wall/ceiling/truss, for all G versions of WR-8826 models, grey
AXU-WR6412	100 500	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-121S-FX, black
AXU-WR6412-G	100 500	"U" bracket, wall/ceiling/truss, for all G versions of WR-6412 models, grey
AXU-WR6415	104 500	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-151S-FX, black
AXU-WR6415-G	104 500	"U" bracket, wall/ceiling/truss, for all G versions of WR-6415 models, grey
AXW-1	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, black
PICKUP-AX-AE12S2	204 500	Additional pick-up bar for two lifting points for AX-AE12S2, black

EVENT LINE ARRAY SERIES (ACTIVE)	nettó HUF	
MODEL		
EVENT-26A	681 000	Powered, 400 W, 2x 6", 2 way full-range, compact Line Array, black
EVENT-28A	940 500	Powered, 650W, 2x 8", 2 way full-range, compact Line Array, black
EVENT-208A-230	943 000	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x8", 3 way full-range, compact Line Array, 230 V, black
EVENT-210A-230	1 230 000	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x10", 3 way full-range, compact Line Array, 230 V, black
EVENT-212A	1 944 000	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, black
EVENT-212.120A	1 944 000	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, 120° horizontal dispersion, black
EVENT-115A	825 000	Powered, 600 W, 15", arrayable bass-reflex subwoofer, black
EVENT-118A	1 255 500	Powered, 1000 W, 18", arrayable bass-reflex subwoofer, black
EVENT-121A	1 944 000	Powered, 1600 W, 21", horn-bass extended subwoofer, black
EVENT-218A	1 674 500	Powered, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black
EVENT-M210A-230	953 500	Powered, 500 W, 2x10", 2 way full-range, stage monitor, 60x50 horn, 115 V, black
ACCESSORIES		
AX-COMBOEV1208	287 500	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-208A, black
AX-COMBOEV1210	291 500	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-210A, black
AX-EV26	171 000	Rigging bumper for EVENT-26A (max 16 u.), black
AX-EV208	388 000	Rigging bumper for EVENT-208A (max 16 u.), black
AX-EV210	392 500	Rigging bumper for EVENT-210A (max 16 u.), black
AX-EV212	532 000	Rigging bumper for EVENT-212A (max 16 u.), black
AXC-ZT	35 000	Speaker adaptor (required for TRD-2/TRD-6), black
AXS-EV26	66 500	Stacking bracket for EVENT-26A (max 4 u. when stacked on any sub), black
AXS-EV208	160 500	Stacking bracket for EVENT-208A (max 4 u./max 1 u. using TRD-6/TRD-2), black
AXS-EV210	162 000	Stacking bracket for EVENT-210A (max 4 u./max 1 u. using TRD-6/TRD-2), black
AXS-EV212	197 000	Stacking bracket for EVENT-212A/EVENT-212.120A systems above EVENT-218A or on the ground, black
FUN-TRD2	24 000	Protective transport cover for TRD-2, black
FUN-4-EV26	102 500	Protective transport cover for 4 u. EVENT-26A on PL-EV26S, black
FUN-6-EV26	137 500	Protective transport cover for 6 u. EVENT-26A on PL-EV26S, black
FUN-2-EV115	124 000	Protective transport cover for 2 u. EVENT-115A on PL-EV115S, black
FUN-2-EV218	238 500	Protective transport cover for 2 u. EVENT-218A on PL-EV218S, black
FUN-2-EV121	231 000	Protective transport cover for 2 u. EVENT-121A on PL-EV121S, black
FUN-4-EV208	168 500	Protective transport cover for 4 u. EVENT-208A on PL-EV208S, black
FUN-4-EV210	174 500	Protective transport cover for 4 u. EVENT-210A on PL-EV210S, black
FUN-4-EV212	207 500	Protective transport cover for 4 u. EVENT-212A on PL-EV212S, black
JP-EV26	66 500	Joining plate for array assembling EVENT-26A/EVENT-115A, black
PICKUP-AX-EV208	228 000	Additional pick-up bar for two lifting points for AX-EV208, black
PICKUP-AX-EV210	229 000	Additional pick-up bar for two lifting points for AX-EV210, black
PICKUP-AX-EV212	286 500	Additional pick-up bar for two lifting points for AX-EV212, black
PIN-6	14 000	Lock Pin Ø:6 mm L:23 mm, black
PIN-6-W	14 000	Lock Pin Ø:6 mm L:23 mm, white
PIN-8	14 000	Lock Pin Ø:8 mm L:30 mm, black
PIN-8-W	14 000	Lock Pin Ø:8 mm L:30 mm, white
PL-EV26S	344 000	Steel transport dolly for EVENT-26A (max 4 u.), black
PL-EV208S	258 000	Steel transport dolly for EVENT-208A (max 4 u.), black
PL-EV210S	269 000	Steel transport dolly for EVENT-210A (max 4 u.), black
PL-EV212S	369 500	Steel transport dolly for EVENT-212A/EVENT-212.120A (max 4 u.), black
PL-EV115S	216 500	Wooden transport dolly for EVENT-115A (max 2 u.), black
PL-EV218S	254 500	Wooden transport dolly for EVENT-218A (max 3 u.), black
PL-EV121S	236 500	Wooden transport dolly for EVENT-121A (max 3 u.), black
TRD-2	56 000	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	52 500	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	89 500	Ring lock expandable (1005-1485 mm) pole mount for use between satellite and sub systems, black
AXS-EV28	90 500	Stacking bracket for EVENT-28A (max 4 u. when stacked on any sub), black
AX-EV28	199 000	Rigging bumper for EVENT-28A (max 16 u.), black
JP-EV28	72 500	Joining plate for array assembling EVENT-28A/EVENT-118A, black
FUN-4-EV28	169 500	Protective transport cover for 4 u. EVENT-28A on PL-EV28S, black
PL-EV28S	414 000	Steel transport dolly for EVENT-28A (max 4 u.), black
FUN-2-EV118S	190 500	Protective transport cover for 2 u. EVENT-118A on PL-EV118S, black
PL-EV118	250 000	Wooden transport dolly for EVENT-118A (max 2 u.), black
CABLES		
SC-1	14 000	1m XLR microphone signal balanced cable
SC-10	23 500	10m XLR microphone signal balanced cable
PWCONLINK-09	17 000	0.9m powerCON NAC3FCB cable

HQ SERIES	nettó HUF	
MODEL		
HQ-112.43-CX	2 103 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, CX, black
HQ-112.43-DX	2 634 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, DX, black
HQ-112.64-CX	2 041 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, CX, black
HQ-112.64-DX	2 551 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, DX, black
HQ-112.95-CX	2 041 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, CX, black
HQ-112.95-DX	2 551 000	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, DX, black
HQ-212.64-CX	1 742 500	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black
HQ-212.64-DX	1 886 000	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, DX, black
HQ-212.95-CX	1 742 500	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, CX, black
HQ-212.95-DX	1 886 000	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, DX, black
HQ-218-CX	1 379 000	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, CX, black
HQ-218-DX	1 724 000	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, DX, black
ACCESSORIES		
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-HQ-X12	130 000	Rigging bumper for HQ-112/HQ-212 (WLL=450kg), black
AXU-HQ212	420 000	"U" bracket, wall/ceiling/truss/tripod, for HQ-212.64/HQ-212.95, black
JP-HQ-212	274 500	Joining plate for array assembling HQ-212 (WL=360kg), black
JP-HQ-112	197 500	Joining plate for array assembling HQ-112 (WL=430kg), black
UFB	184 500	Universal Fly Bar, black, 16.5 kg (36.3 lb)
QUANTUM SERIES		
MODEL		
Q-3-T	90 500	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black
Q-3-TW	90 500	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white
Q-23-T	126 500	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black
Q-23-TW	126 500	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white
Q-43-T	210 000	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black
Q-43-TW	210 000	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white
Q-10	236 500	Passive, 250 W, 10", bass-reflex subwoofer, black
Q-10-W	236 500	Passive, 250 W, 10", bass-reflex subwoofer, white
Q-10A	457 000	Powered, 250W, 10", bass-refl x subwoofer, black.
Q-10A-W	457 000	Powered, 250W, 10", bass-refl x subwoofer, white.
Q-83-T	417 500	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black.
Q-83-TW	417 500	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white.
Q-83-TC	459 500	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, customizable color.
Q-8	226 000	Passive, 200 W, 8", bass-refl x subwoofer, black.
Q-8-W	226 000	Passive, 200 W, 8", bass-refl x subwoofer, white.
ACCESSORIES		
AXW-4	25 500	Wall mount bracket with vertical and horizontal angle adjustment for various models, WLL=6kgf, black
AXW-5	13 500	Wall mount bracket with a fixed 15° vertical angle for various models, WLL=6kgf, black
AXS-Q	11 000	Stacking bracket for Q-23-T, black
JP-Q	11 500	Joining piece for stacking/array assembling Quantum series.
JP-Q-W	11 500	Joining piece for stacking/array assembling Quantum series, white
KIT-IP-QUANTUM	7 000	IP66 kit for Q-3-T, Q-23-T, Q-43-T
KIT-IP-QUANTUM-W	7 000	IP66 kit for Q-3-T-W, Q-23-T-W, Q-43-T-W, white
KIT-IP-Q-EN	6 500	IP66 kit for Q-83-T
KIT-IP-Q-EN-W	6 500	IP66 kit for Q-83-T-W, white
KIT-IP-Q-SUB	17 500	
KIT-IP-Q-SUB-W	17 500	
AXU-Q10	119 500	"U" bracket, wall/ceiling/truss for Q-10, black.
AXU-Q10-W	119 500	"U" bracket, wall/ceiling/truss for Q-10, white.
AXW-6	55 000	Wall mount bracket for various models, WLL=8kgf, black
AXW-6-W	55 000	Wall mount bracket for various models, WLL=8kgf, white
AXU-Q8	61 500	"U" bracket, wall/ceiling/truss/tripod, for Q-8, black
AXU-Q8-W	61 500	"U" bracket, wall/ceiling/truss/tripod, for Q-8, white

VANTEC SERIES		
MODEL	nettó HUF	
VANTEC SERIES PASSIVE		
VANTEC-12	401 000	Passive, 500 W, 12", 2 way full-range, 90x50 horn, black
VANTEC-15	441 500	Passive, 500 W, 15", 2 way full-range, 90x50 horn, black
VANTEC-215	607 500	Passive, 1000 W, 2x15", 2 way full-range, 90x50 horn, black
VANTEC-18	560 000	Passive, 1000 W, 18", ground-stackable long excursion bass-reflex subwoofer, black
VANTEC-218	819 000	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black
VANTEC SERIES ACTIVE		
VANTEC-12A	647 500	Powered, 750 W, 12", 2 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-15A	721 000	Powered, 750 W, 15", 2 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-20A	1 203 500	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, black
VANTEC-20A-W	1 203 500	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, white
VANTEC-215A	930 000	Powered, 1125 W, 2x15", 3 way full-range, 90x50 horn, LCD control interface+wireless, black
VANTEC-18A	806 000	Powered, 1000 W, 18", compact long excursion bass-reflexsubwoofer, black
VANTEC-118A	1 203 500	Powered, 1000 W, 18", long excursion bass-reflexsubwoofer, black
VANTEC-118A-W	1 203 500	Powered, 1000 W, 18", long excursion bass-reflexsubwoofer, white
VANTEC-218A	1 378 000	Powered, 2000 W, 2x18", ground-stackable long excursion bass-reflexsubwoofer, black
ACCESSORIES		
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-VT20	118 500	Rigging bumper for VANTEC-20A (max 5 u.), black
FUN-TRD2	24 000	Protective transport cover for TRD-2, black
FUN-VT12	38 500	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black
FUN-VT15	44 500	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black
FUN-VT215	60 000	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black
FUN-VT18	54 000	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black
FUN-VT218	78 500	Protective transport cover for 1 u. VANTEC-218/VANTEC-218A, black
PL-VT118S	213 500	Wooden transport dolly for VANTEC-118A (max 2 u.), black
PL-VT20S	205 500	Steel transport dolly for VANTEC-20A (max 4 u.), black
TRD-2	56 000	Aluminum speaker stand for all models with 35mm pole mount socket, black
TRD-6	52 500	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black
TRD-7	89 500	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub systems, black

WR SERIES		
MODEL		
WR-8826-CX	386 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, CX, IP56, black
WR-8826-TCX	420 000	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, CX, IP56, 70 V/100 V line transformer, black
WR-8826-DX	523 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black
WR-8826-TDX	568 000	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, DX, IP56, 70 V/100 V line transformer, black
WR-8826-DXW	523 500	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, white
WR-6412-CX	702 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, CX, IP54, black
WR-6412-DX	799 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, black
WR-6412-DXW	799 000	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP54, white
WR-6415-CX	747 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, CX, IP56, black
WR-6415-DX	895 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black
WR-6415-DXW	895 000	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black
WR-121S-CX	722 500	Passive, 600 W, 12", compact arrayable subwoofer, CX, IP54, black
WR-121S-DX	799 000	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, black
WR-121S-DXW	799 000	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP54, white
WR-151S-CX	737 500	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-151S-DX	819 500	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-151S-DXW	819 500	Passive, 800 W, 15", compact arrayable subwoofer, CX, IP54, black
WR-218S-DX	1 487 000	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex subwoofer, DX, black
WR-218S-DXW	1 487 000	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex subwoofer, DX, white
WR-320-DX	958 500	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, black
WR-320-DXW	958 500	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, white
WR-322S-DX	925 000	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, black
WR-322S-DXW	925 000	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, white
WR-9606-CX	306 000	Passive, 100 W, 6", 2 way full-range, 90x60 horn, CX, IP56, black.
WR-9606-DX	421 500	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, black.
WR-9606-TCX	349 000	Passive, 100 W, 6", 2 way full-range, 90x60 horn, CX, IP56, 70 V/100 V line transformer, black.
WR-9606-TDX	464 500	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V line transformer, black.
WR-9606-DXW	421 500	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, white.
WR-9606-TDXW	464 500	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V line transformer, white.
ACCESSORIES		
ANL-2	23 500	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying
AX-WR300	154 500	Rigging bumper for all models WR-320-FX/WR-322S-FX, black
AX-WR300-W	154 500	Rigging bumper for all models WR-320-DXW/WR-322S-DXW, white
AX-SPG1	12 500	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets
AXU-WR8826	58 000	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black
AXU-WR8826-W	58 000	"U" bracket, wall/ceiling/truss, for all W versions of WR-8826 models, white
AXW-1	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, black
AXW-1-W	27 000	Wall mount bracket and safety cable for various models, WLL=12kgf, white
AXU-WR6412	100 500	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-121S-FX, black
AXU-WR6412-W	100 500	"U" bracket, wall/ceiling/truss, for all W versions of WR-6412 models and WR-121S-FXW, white
AXU-WR6415	104 500	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-151S-FX, black
AXU-WR6415-W	104 500	"U" bracket, wall/ceiling/truss, for all W versions of WR-6415 models and WR-151S-FXW, white
JP-WR320	51 000	Joining plate for array assembling WR-320-FX/WR-322S-FX (Included with WR-320-FX), black
JP-WR320-W	51 000	Joining plate for array assembling WR-320-DXW/WR-322S-DXW, (Included with WR-320-DXW), white
AXU-WR9606-W	53 000	"U" bracket, wall/ceiling/truss, for all W versions of WR-9606, white
AXU-WR9606	53 000	"U" bracket, wall/ceiling/truss, for all W versions of WR-9606, black

ELECTRONICS		
	nettó HUF	
INTEGRAL SERIES		
MODEL		
INTEGRAL-A402	513 500	2-channel 200 W @ 4 ohm or 1-channel 400 W @ 100 V amplifier, 1U DIN
INTEGRAL-A404	662 500	4-channel 100 W @ 4 ohm or 2-channel 200 W @ 100 V amplifier, 1U DIN
INTEGRAL-A1002	520 500	2-channel 500 W @ 4 ohm or 1-channel 1000 W @ 100 V amplifier, 2U DIN
INTEGRAL-A1004	689 500	4-channel 250 W @ 4 ohm or 2-channel 500 W @ 100 V amplifier, 2U DIN
INTEGRAL-A1602	722 000	2-channel 800 W @ 4 ohm or 1-channel 1600 W @ 100 V amplifier, 2U DIN
INTEGRAL-A1604	853 000	4-channel 400 W @ 4 ohm or 2-channel 800 W @ 100 V amplifier, 2U DIN
INTEGRAL-WA2	41 000	2 channel amplifie , wall-panel format, 25 W per channel @ 4 ohms 10721060
INTEGRAL-WA4	53 000	4 channel amplifie , wall-panel format, 25 W per channel @ 4 ohms
INTEGRAL-MA1004	991 000	4 CH Matrix amplifie , integrated DSP, 250 W per channel @ 4 ohms
INTEGRAL-MA1604	1 161 500	4 CH Matrix amplifie , integrated DSP, 400 W per channel @ 4 ohms
INTEGRAL-M88	733 500	8 CH Matrix, integrated DSP, 4 independent analog inputs, 8 Analog output channels, 4 x 4 CH DANTE digital audio
INTEGRAL-AS1	193 500	Professional audio source, FM/AM tuner, USB slots, BT and CD
INTEGRAL-AS2	230 500	Dual channel stereo professional audio source, FM/AM tuner, USB slots, BT and CD
INTEGRAL-MC01	60 500	Electret condenser microphone, 12-48Vdc Phantom Power
INTEGRAL-MC02	216 500	Dante enabled electret condenser microphone, Powered by PoE
INTEGRAL-WPM1	45 500	2-channel mixer, wall panel format
INTEGRAL-VC1	48 500	Volume Control to be used with 100V / 70V lines
INTEGRAL-WP3	349 500	7" capacitive touch screen panel, Control and management of integral devices via OSC, Single drop PoE cabling
INTEGRAL-M26X	465 500	1U rack-mount DSP 2CH analogue inputs, 6 analogue outputs, ALMA IP control, 1.54" OLED display.
PATCH-M88	135 000	Integral M-88 connection panel, 4 inputs x 8 outputs + 2 ethercon connectors
HA SERIES - AMPLIFIERS		
MODEL		
HA-500 - NEW	193 000	2-channel amplifier, 250 W @ 4 ohm, 2U, 230 V
HA-900 - NEW	272 000	2-channel amplifier, 450 W @ 4 ohm, 2U, 230 V
HA-1500 - NEW	306 000	2-channel amplifier, 750 W @ 4 ohm, 2U, 230 V
HA-2700 - NEW	516 500	2-channel amplifier, 1350 W @ 4 ohm, 2U, 230 V
HA-4000 - NEW	724 000	2-channel amplifier, 2100 W @ 4 ohm, 2U, 230 V